


NOTES:

1. INLET AND OUTLETS PIPES SHALL NOT INTERCEPT A MANHOLE BASE THROUGH A CORNER. IF THE SKEW ANGLE IS TOO GREAT TO PERMIT THE OPENING IN A SINGLE WALL, USE A TYPE III MANHOLE BASE.
2. TYPE II MANHOLE BASES ARE FOR USE WITH PIPE UP TO 42" IN DIAMETER.
3. HOLES CAST TO ACCOMMODATE PIPING.
4. FOR SHALLOW CONDITIONS A TRANSITION TOP SLAB AND 24"Ø CASTING IS USED. CALL FOR SPECIFIC REQUIREMENTS.



WEIGHT OF WALL SECTION: 1,950 LBS/FT
 WEIGHT OF FLOOR SECTION: 2,870 LBS

DRAWING MAY NOT CONFORM TO THE
 MOST CURRENT SPECIFICATION

Oldcastle Precast®

Northern California
 Madera ■ Morgan Hill ■ Pleasanton ■ Santa Rosa ■ Stockton ■ Tulare
 Phone: 925-750-6650 Fax: 925-750-6660

CCC TYPE II
FILE NAME: AGN-3.DWG
REVISED: MARCH 2016
www.oldcastleprecast.com

**TYPE II INLET
 CONTRA COSTA COUNTY
 AGENCY STRUCTURES**

Copyright © 2016 **Oldcastle®** Precast, Inc.