



BASE PLAN VIEW



FRONT ELEVATION




REAR ELEVATION

Oldcastle Precast Rotondo


5115 Massaponax Church Road. Fredericksburg, Virginia Phone: 540.898.6300 Fax: 540.898.2389 8" Thick Precast Standard Catch Basin Tops (2 Req'd) Per D.C.W.A.S.A. Dwg. (sw/30.11)

GENERAL NOTES:


- 1. Concrete f'c = 5,000 psi.
- 2. Reinforcing Steel, ASTM A-615-84 Grade 60 ASTM A-185 WWF Grade 72.5
- 3. Design Live Load = HS-20
- 4. Earth Cover = 0'-0" Min. to 0'-0" Max.
- 5. Contractor to:
 - Supply and Install All Piping
 - Knockout Openings as Needed and Grout in All Pipes.
- 6. Section Weights:
 - Top Slabs = 1,470 Lbs (.735 Tons) Ea.
 - Base = 7,950 Lbs (3.98 Tons)
 - Cheek Block Cnr. = 65 Lbs
 - Cheek Block Mid. = 130 Lbs



SECTION A-A



PIPE CONNECTION DETAIL



END ELEVATION

WASA-2284-DB

SCALE: 3/16" = 1'-0"

FILE NAME: 365DICDBLCB
ISSUE DATE: January, 2003

D.C.W.A.S.A. Double Catch Basin

Copyright © 2003 Okicaetle Precesi